Non-Contact Infrared Thermometer K-3S with Voice Broadcast

K-3S is a non-contact Infrared thermometer with compact design. The device supports audio broadcast and user can switch more than 10 different international languages in device easily. It can measure surface and body temperature or be used as a counter machine with 9999 times capacity. The responding speed is fast and measurement result is accurate.

User can set alarm temperature threshold, broadcast volume and temperature compensation according to different application environment. It supports 50 groups data for self-checking without connecting to PC.

K-3S can be installed on tripod or wall conveniently. Its power consumption is super low. With 3pcs AAA battery, it can stand by for nearly 1 week.

Features:

3.5" LCD Display	≤1s Reading Speed
F/C Mode Switch	High Temp Alarm
50 Memory Records	Voice Report
1-10CM Measuring Distance	Mute Mode

Specifications:

Operation Mode	Surface/Body/Counting Mode
Accuracy	Body temperature mode: ±0.2 ℃
Measuring Range	32.0°C-43.0°C(89.6°F-109.4°F)
Temperature Unit	Celsius/Fahrenheit
Display	3.5" Digital LCD Display
Measuring Distance	1-10 cm
Multiple Voice Languages	EN, ES, PT, FR, JP, KR, RU, ARA, IT, DE, IN
Volume Setting	Adjustable
Temperature Campensation	Yes
Alarm Temperature Setting	Yes
High temperature Alarm	"Di Di" Alarm + Voice Alarm
Energy Saving Mode	Auto Sleeping and Waking Up
Counting Capacity	9999 Times
Storage Memory	50 Groups
Working Environment	15℃-35℃(Suggested)
Power Supply	3 AAA Batery, USB 5V/1A, 18650 Li Battery
Dimension	150mm * 100mm * 60mm
Net Weight	200g (Without battery)

Dimension:

Mounting Type:

A. Tripod Mounting B. Wall Mounting

Fast and Accurate Measuring

M ▲ ⚠ ☰ °F **°C**
36.5

Wide Applications Scene

Airport

Hotel

School

Convenience Store

M ▲ ⚠ ☰ °F **°C**
36.5

Restaurant

Factory

Scenic Area

Internet cafe

iSecus Electronic
WhatsApp business account