www.isecus.com

# 125khz ID Cards

#### **ID Thin Card**

- \* Coated
- \* With Printed Code
- \* Size: 85.6\*54\*0.84mm
- \* Packing: 200pcs/Box



#### **ID Thick Card**

- \* With Printed Code
- \* Size: 85.6\*54\*1.80mm
- \* Packing: 100pcs/Box



# 13.56mhz MF Cards

#### **MF Thin Card**

- \* Coated
- \* With Printed Code
- \* Size: 85.6\*54\*0.84mm
- \* Packing: 200pcs/Box



## **MF Thick Card**

- \* With Printed Code
- \* Size: 85.6\*54\*1.80mm
- \* Packing: 100pcs/Box



# 125khz HID Cards

## **HID Thin Card**

- \* Coated
- \* With Printed Code
- \* With HID logo
- \* Size: 85.6\*54\*0.84mm
- \* Packing: 200pcs/Box



# **HID Thick Card**

- \* With Printed Code
- \* With HID logo
- \* Size: 85.6\*54\*1.80mm
- \* Packing: 100pcs/Box



# **RFID Keyfobs**

# 125khz ID Keyfob

- \* With Printed Code
- \* Size: 41\*32\*4.2mm
- \* Packing: 100pcs/Bag



# 13.56mhz MF Keyfob

- \* With Printed Code
- \* Size: 41\*32\*4.2mm
- \* Packing: 100pcs/Bag



www.isecus.com

# **Touch Exit Switch**

# **Aluminum Alloy Exit Switch**

Model: EX-1

\* Size: 86 \* 86mm (EX-1A) 86 \* 50mm (EX-1B)

\* With light indicator





### **Stanless Steel Exit Switch**

Model: EX-2

\* Size: 86 \* 86mm (EX-2A)

91 \* 30mm (EX-2B)

\* With light indicator





# **Plastic Exit Switch**

Model: EX-3A

\* Size: 86 \* 86mm \* With light indicator

\* Concealed Installation



## **Plastic Exit Switch**

Model: **EX-3B** 

\* Size: 86 \* 86mm

\* With light indicator

\* Unfolded Installation



# Non-touch Exit Switch

Stanless Steel Exit Switch

Model: **ZKTeco K1-1D** 

\* Size: 86 \* 86mm (EU Size)

\* With light indicator

\* Remote Distance: 5-15cm



Stanless Steel Exit Switch

Model: **ZKTeco K1-1** 

\* Size: 115\* 70mm (US Size)

\* With light indicator

\* Remote Distance: 5-15cm



Stanless Steel Exit Switch with Remote Key

Model: K2S

\* Size: 86 \* 86mm (EU Size)

\* With light indicator

\* Remote Distance: 5-15cm





Stanless Steel Exit Switch with Remote Key

Model: K2S

\* Size: 115\* 70mm (US Size)

\* With light indicator

\* Remote Distance: 5-15cm





www.isecus.com

# Mini Power Suppy

Model: PS1203-Mini

\* Power Input: 90-265V \* Power Output: 12V/3A \* Size: 105\*68\*34\*13mm \* Packing: 60pcs/Ctn



Model: PS1205-Mini

\* Power Input: 90-265V \* Power Output: 12V/5A \* Size: 105\*68\*34\*13mm

\* Packing: 60pcs/Ctn



# Power Supply Box with Battery Leads

Model: PS1203-Box

\* Power Input: AC110-240V \* Power Output: 12V/3A \* Size: 204\*164\*72mm

\* Packing: 10pcs/Ctn

\* Battery Leads: 12V7A



Model: PS1205-Box

\* Power Input: AC110-240V \* Power Output: 12V/5A \* Size: 204\*164\*72mm

\* Packing: 10pcs/Ctn

\* Battery Leads: 12V7A



# **UPS**

# **5V UPS**

\* Working Current: **DC5V-1A** 

\* Size: 111\*60\*26cm



# **12V UPS**

\* Working Current: DC12V-1A

\* Size: 111\*60\*26cm











Shenzhen iSecus Electronic Co., Ltd

Web: www.isecus.com Email: sales@isecus.com